SDS ATTACHMENT

PLEASE ATTACH THIS COMPLETED SHEET TO THE SDS FOR:

PRODUCT:	AC CD-90	
SDS DATE:	4 October 2024	
<u>1. Supplier:</u>	Tradegear Ltd Level 1, 99 Clarence Stre Riccarton, Christchurch 8 New Zealand Phone: 0800 22 44 34 or Fax: 0800 22 11 51 or + 24 hr emergency contact:	011 +64 3 341 8055 64 9 522 8833
Emergency Information:	National Poison Centre:	0800 764 766 (0800 POISON)

2 & 15. Hazards Identification & Regulatory Requirements:

Product Name:	AC CD-90
Product Use:	Multi-purpose lubricant (professional use)
Group Standard, Approval Number	Aerosols (Flammable) Group Standard 2020 - HSR002515 All ingredients are listed on the New Zealand Inventory of Chemicals (NZIoC)
GHS Classification: [Note: classification based on the CRC Industries SDS]	Aerosol Category 1
Hazard Statement and Precautions, including Class 9 statements where applicable: Danger	Extremely flammable aerosol. Pressurised container. May burst if heated. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C.
Tolerable Exposure Limit or Environmental Exposure Limit:	None applied to this product of its ingredients.





Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 23/10/2024 Revision date: 04/10/2024 Supersedes version of: 21/12/2020 Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name UFI Product code Vaporizer : AC CD-90

- : FN80-E9HH-500F-YDY1
- : UDS000746AE
- : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category Use of the substance/mixture Professional uselubricants

1.3. Details of the supplier of the safety data sheet

CRC Industries Europe UK Limited Wylds Road Castlefield Industrial Estate TA6 4DD Bridgwater Somerset United Kingdom T +44 1278 727200, F +44 1278 425644 hse.uk@crcind.com, www.crcind.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Militaire Reine Astrid	Rue Bruyn 1 1120 Brussels	+32 70 245 245	Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects Pressurised container: May burst if heated. Extremely flammable aerosol.

2.2. Label elements

Labelling according to Regulation (EC) N	lo. 1272/2008 [CLP]
Hazard pictograms (CLP)	$\mathbf{\wedge}$
	GHS02
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H222 - Extremely

H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P501 - Dispose of contents/container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	Precautionary statements (CLP)	
--	--------------------------------	--

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] substance with national workplace exposure limit(s) (BE)	CAS-No.: 68476-85-7 EC-No.: 270-704-2 EC Index-No.: 649-202-00-6	25 – 50	Flam. Gas 1, H220 Press. Gas (Comp.), H280
Mineral oil substance with a Community workplace exposure limit	-	25 – 50	Not classified

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If signs/symptoms develop, get medical attention. First-aid measures after skin contact : Wash skin with plenty of water. Seek medical attention if irritation develops. First-aid measures after eye contact : Rinse eyes with water as a precaution. Seek medical attention if irritation develops. First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Unsuitable	extinguishing	media
onsultubic	exanguisting	moulu

: Do not use a heavy water stream.

Chouldble chungdioning modia	
5.2. Special hazards arising from the subst	tance or mixture
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Extremely flammable aerosol. Pressurised container: May burst if heated. During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Firefighting instructions	: Move containers from fire area if it can be done without personal risk. Use standard firefighting procedures and consider the hazards of other involved materials.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

6.1. Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel	
Protective equipment	: Wear appropriate protective equipment and clothing during clean-up.
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking.
For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Ventilate area.

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	: Mechanically recover the product. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Following product recovery, flush area with water. Take up small spills with dry chemical absorbent. Clean surface thoroughly to remove residual contamination.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For disposal of contaminated materials refer to section 13 : "Disposal considerations".

SECTION 7: Handling and stora	ge
7.1. Precautions for safe handling	
Precautions for safe handling	: Wear personal protective equipment. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid prolonged exposure. Handle in accordance with good industrial hygiene and safety procedures.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool. Keep container closed when not in use.
7.3. Specific end use(s)	
No additional information available	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] (68476-85-7)

Belgium - Occupational Exposure Limits

Local name Pétrole (gaz liquéfié) # LPG OEL TWA 1826 mg/m³ 1000 ppm relatified aux agents cancérigènes, mutagènes et reprotoiques du livre VI du code de bien- étrif aux agents cancérigènes, mutagènes et reprotoiques du livre VI du code de bien- étrie au travail. # C: de vermelding "C" betekent dat het betrokken agens valt onder het verprotoxische agentia van boek VI van de codex over het welzijn op het werk. Regulatory reference Koinklijk besluit/Arrêté royal 16/11/2023 Mineral oil Sing/m³ EQL TWA Sing/m³ IOEL TWA Sing/m³			
Instrume 1000 ppm Remark C: la mention "C" signifie que l'agent en question relève du champ d'application du titre 2 relatif aux agents cancérigènes, mutagènes et reprotoiques du livre VI du code de bien- ètre au travail. # C: de vermelding "C" betekent dat het betrokken agens valt onder het toepassingsgebied van titel 2 betreffende kankerverwekkende, mutagene en reprotoxische agentia van boek VI van de codex over het welzijn op het werk. Regulatory reference Koninklijk besluit/Arrêté royal 16/11/2023 Mineral oil EU - Indicative Occupational Exposure Limit (IOEL) IOEL TWA 5 mg/m ³	Local name	Pétrole (gaz liquéfié) # LPG	
Remark C: la mention "C" signifie que l'agent en question relève du champ d'application du titre 2 relatif aux agents cancérigènes, mutagènes et reprotoiques du livre VI du code de bien- être au travail. # C: de vermelding "C" betekent dat het betrokken agens valt onder het toepassingsgebied van titel 2 betreffende kankerverwekkende, mutagene en reprotoxische agentia van boek VI van de codex over het welzijn op het werk. Regulatory reference Koninklijk besluit/Arrêté royal 16/11/2023 Mineral oil EU - Indicative Occupational Exposure Limit (IOEL) IOEL TWA 5 mg/m ³	OEL TWA	1826 mg/m ³	
relatif aux agents cancérigènes, mutagènes et reprotoiques du livre VI du code de bien- être au travail. # C: de vermelding "C" betekent dat het betrokken agens valt onder het toepassingsgebied van titel 2 betreffende kankerverwekkende, mutagene en reprotoxische agentia van boek VI van de codex over het welzijn op het werk. Regulatory reference Koninklijk besluit/Arrêté royal 16/11/2023 Mineral oil EU - Indicative Occupational Exposure Limit (IOEL) IOEL TWA 5 mg/m³		1000 ppm	
Mineral oil EU - Indicative Occupational Exposure Limit (IOEL) IOEL TWA 5 mg/m³	Remark	relatif aux agents cancérigènes, mutagènes et reprotoiques du livre VI du code de bien- être au travail. # C: de vermelding "C" betekent dat het betrokken agens valt onder het toepassingsgebied van titel 2 betreffende kankerverwekkende, mutagene en	
EU - Indicative Occupational Exposure Limit (IOEL) IOEL TWA 5 mg/m³	Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023	
IOEL TWA 5 mg/m ³	Mineral oil		
	EU - Indicative Occupational Exposure Limit (IOEI	_)	
IOEL STEL 10 mg/m ³	IOEL TWA	5 mg/m³	
	IOEL STEL	10 mg/m³	

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protection equipment

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Use eye protection according to EN 166. Safety glasses with side shields.

Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended.

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Full face piece respirator (organic vapours). Filter type: A

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Thermal hazards

Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour: brown.Appearance: Propane/butane propelled liquid.Odour: characteristic.Odour threshold: Not availableMelting point: Not availableFreezing point: Not availableBoiling point: > 250 °CFlammability: Extremely flammable aerosol.Explosive properties: Pressurised container: May burst if heated.Lower explosion limit: Not availableUpper explosion limit: Not availableDecomposition temperature: Not availableDecomposition temperature: Not availableViscosity, kinematic: 220 mm²/s at 40 °CSolubility: Insoluble in water.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure at 50°C: Not availableDensity: 0,89 g/cm³ at 20 °CRelative density: 0,89 g/cm³ at 20 °CRelative vapour density at 20°C: Not availableParticle characteristics: Not availableParticle characteristics: Not available	Physical state	: Liquid
Ddour:characteristic.Odour:characteristic.Odour threshold:Not availableMelting point:No data availableFreezing point:Not availableBoiling point:> 250 °CFlammability:Extremely flammable aerosol.Explosive properties:Pressurised container: May burst if heated.Lower explosion limit:Not availableUpper explosion limit:Not availableFlash point:260 °C Open cupAuto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not applicableViscosity, kinematic:220 mm²/s at 40 °CSolubility:Insoluble in water.Partition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,89 g/cm³ at 20 °CRelative density:0,89 at 20 °CRelative vapour density at 20°C:Not available	Colour	brown.
Odour threshold: Not availableMelting point: Not availableFreezing point: Not availableBoiling point: > 250 °CFlanmability: Extremely flammable aerosol.Explosive properties: Pressurised container: May burst if heated.Lower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 260 °C Open cupAuto-ignition temperature: Not availableDecomposition temperature: Not availablePH: Not applicableViscosity, kinematic: 220 mm²/s at 40 °CSolubility: Insoluble in water.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,89 g/cm³ at 20 °CRelative density: 0,89 at 20 °CRelative vapour density at 20°C: Not available	Appearance	: Propane/butane propelled liquid.
Melting point:No data availableFreezing point:No data availableBoiling point:> 250 °CFlammability:Extremely flammable aerosol.Explosive properties:Pressurised container: May burst if heated.Lower explosion limit:Not availableUpper explosion limit:Not availableUpper explosion limit:Not availableFlash point:260 °C Open cupAuto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not availableViscosity, kinematic:220 mm²/s at 40 °CSolubility:Insoluble in water.Partition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,89 g/cm³ at 20 °CRelative density:0,89 at 20 °CRelative vapour density at 20°C:Not available	Odour	: characteristic.
Freezing point: Not availableBoiling point: > 250 °CFlammability: Extremely flammable aerosol.Explosive properties: Pressurised container: May burst if heated.Lower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 260 °C Open cupAuto-ignition temperature: Not availableDecomposition temperature: Not availablePH: Not applicableViscosity, kinematic: 220 mm²/s at 40 °CSolubility: Insoluble in water.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,89 g/cm³ at 20 °CRelative density: 0,89 at 20 °CRelative vapour density at 20°C: Not available	Odour threshold	: Not available
Boiling point:> 250 °CFlammability:Extremely flammable aerosol.Explosive properties:Pressurised container: May burst if heated.Lower explosion limit:Not availableUpper explosion limit:Not availableFlash point:260 °C Open cupAuto-ignition temperature:Not availableDecomposition temperature:Not availablePH:Not availableViscosity, kinematic:220 mm²/s at 40 °CSolubility:Insoluble in water.Partition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,89 g/cm³ at 20 °CRelative density:0,89 at 20 °CRelative vapour density at 20°C:Not available	Melting point	: No data available
FlammabilityExtremely flammable aerosol.Explosive propertiesPressurised container: May burst if heated.Lower explosion limitNot availableUpper explosion limitNot availableFlash point260 °C Open cupAuto-ignition temperatureNot availableDecomposition temperatureNot availablePHNot availableViscosity, kinematic220 mm²/s at 40 °CSolubilityInsoluble in water.Partition coefficient n-octanol/water (Log Kow)Not availableVapour pressureNot availableVapour pressure at 50°CNot availableDensity0,89 g/cm³ at 20 °CRelative density20°CRelative vapour density at 20°CNot available	Freezing point	: Not available
Explosive properties:Pressurised container: May burst if heated.Lower explosion limit:Not availableUpper explosion limit:Not availableFlash point:260 °C Open cupAuto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not applicableViscosity, kinematic:220 mm²/s at 40 °CSolubility:Insoluble in water.Partition coefficient n-octanol/water (Log Kow):Not applicableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,89 g/cm³ at 20 °CRelative density:0,89 at 20 °CRelative vapour density at 20°C:Not available	Boiling point	: > 250 °C
Lower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 260 °C Open cupAuto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not applicableViscosity, kinematic: 220 mm²/s at 40 °CSolubility: Insoluble in water.Partition coefficient n-octanol/water (Log Kow): Not applicableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,89 g/cm³ at 20 °CRelative density: 0,89 at 20 °CRelative vapour density at 20°C: Not available	Flammability	: Extremely flammable aerosol.
Upper explosion limit:Not availableFlash point:260 °C Open cupAuto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not applicableViscosity, kinematic:220 mm²/s at 40 °CSolubility:Insoluble in water.Partition coefficient n-octanol/water (Log Kow):Not applicableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,89 g/cm³ at 20 °CRelative density:0,89 at 20 °CRelative vapour density at 20°C:Not available	Explosive properties	: Pressurised container: May burst if heated.
Flash point:260 °C Open cupAuto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not applicableViscosity, kinematic:220 mm²/s at 40 °CSolubility:Insoluble in water.Partition coefficient n-octanol/water (Log Kow):Not applicableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,89 g/cm³ at 20 °CRelative density:0,89 at 20 °CRelative vapour density at 20°C:Not available	Lower explosion limit	: Not available
Auto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not applicableViscosity, kinematic:220 mm²/s at 40 °CSolubility:Insoluble in water.Partition coefficient n-octanol/water (Log Kow):Not applicableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,89 g/cm³ at 20 °CRelative density:0,89 at 20 °CRelative vapour density at 20°C:Not available	Upper explosion limit	: Not available
Decomposition temperature:Not availablepH:Not applicableViscosity, kinematic:220 mm²/s at 40 °CSolubility:Insoluble in water.Partition coefficient n-octanol/water (Log Kow):Not applicableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,89 g/cm³ at 20 °CRelative density:0,89 at 20 °CRelative vapour density at 20°C:Not available	Flash point	: 260 °C Open cup
pH: Not applicableViscosity, kinematic: 220 mm²/s at 40 °CSolubility: Insoluble in water.Partition coefficient n-octanol/water (Log Kow): Not applicableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,89 g/cm³ at 20 °CRelative density: 0,89 at 20 °CRelative vapour density at 20°C: Not available	Auto-ignition temperature	: Not available
Viscosity, kinematic:220 mm²/s at 40 °CSolubility:Insoluble in water.Partition coefficient n-octanol/water (Log Kow):Not applicableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,89 g/cm³ at 20 °CRelative density:0,89 at 20 °CRelative vapour density at 20°C:Not available	Decomposition temperature	: Not available
Solubility:Insoluble in water.Partition coefficient n-octanol/water (Log Kow):Not applicableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,89 g/cm³ at 20 °CRelative density:0,89 at 20 °CRelative vapour density at 20°C:Not available	рН	: Not applicable
Partition coefficient n-octanol/water (Log Kow): Not applicableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,89 g/cm³ at 20 °CRelative density: 0,89 at 20 °CRelative vapour density at 20°C: Not available	Viscosity, kinematic	: 220 mm²/s at 40 °C
Vapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,89 g/cm³ at 20 °CRelative density:0,89 at 20 °CRelative vapour density at 20°C:Not available	Solubility	: Insoluble in water.
Vapour pressure at 50°C:Not availableDensity:0,89 g/cm³ at 20 °CRelative density:0,89 at 20 °CRelative vapour density at 20°C:Not available	Partition coefficient n-octanol/water (Log Kow)	: Not applicable
Density:0,89 g/cm³ at 20 °CRelative density:0,89 at 20 °CRelative vapour density at 20°C:Not available	Vapour pressure	: Not available
Relative density:0,89 at 20 °CRelative vapour density at 20°C:Not available	Vapour pressure at 50°C	: Not available
Relative vapour density at 20°C : Not available	Density	: 0,89 g/cm³ at 20 °C
	Relative density	: 0,89 at 20 °C
Particle characteristics : Not applicable	Relative vapour density at 20°C	: Not available
	Particle characteristics	: Not applicable

9.2. Other information

Information with regard to physical hazard classes

% of flammable ingredients	: 25 – 50
Other safety characteristics	
Additional information	: For aero

: For aerosols data for the product without propellant.

%

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions. Hardening time

: Not applicable.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	 Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Serious eye damage/irritation	 Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
AC CD-90	
Vaporizer	Aerosol
Viscosity, kinematic	220 mm²/s at 40 °C

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine	: The mixture does not contain substance(s) included in the list established in accordance
disrupting properties	with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are
	not identified as having endocrine disrupting properties in accordance with the criteria set
	out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at a concentration equal to or greater than 0,1 %

SECTION 12: Ecological information				
12.1. Toxicity				
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.			
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)			
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)			
12.2. Persistence and degradability				
AC CD-90				
Persistence and degradability	No data is available on the degradability of this product. Not established.			

04/10/2024 (Revision date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential				
AC CD-90				
Partition coefficient n-octanol/water (Log Kow)	Not applicable			
• • • • • •	[A complex combination of hydrocarbons produced by the distillation of ing carbon numbers predominantly in the range of C3 through C7 and boiling c (– 40°F to 176°F).] (68476-85-7)			
Partition coefficient n-octanol/water (Log Pow)	2,3			
12.4. Mobility in soil				
No additional information available				
12.5. Results of PBT and vPvB assessment				
AC CD-90				
Results of PBT assessment	Contains no PBT and/or vPvB substances \geq 0.1% assessed in accordance with REACH Annex XIII			
12.6. Endocrine disrupting properties				
Adverse effects on the environment caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.			
12.7. Other adverse effects				
Additional information Global warming potential (GWP)	: No other effects known : 0.9 (Fluorinated greenhouse gases - (EC) No 2024/573)			

SECTION 13: Disposal consideration	s
13.1. Waste treatment methods	
Waste treatment methods European List of Waste (LoW, EC 2000/532)	 Dispose of contents/container in accordance with licensed collector's sorting instructions. According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping	g name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document description				
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1
14.3. Transport hazard class(es)				
2.1	2.1	2.1	2.1	2.1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

environment: No environment: No environment: No environment: No environment: No environment: No EmS-No. (Fire): F-D	ADR	IMDG	ΙΑΤΑ	ADN	RID
Not applicableNot applicableNot applicableNot applicableNot applicable4.5. Environmental hazardsDangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-DDangerous for the environment: No EmS-No. (Fire): F-DDangerous for the environment: No environment: No					
I.5. Environmental hazards Dangerous for the environment: No	I.4. Packing group		•	•	
Dangerous for the environment: No EmS-No. (Fire): F-D EmS-No. (Fire): F-D EmS-No. (Fire): F-D EmS-No. (Fire): F-D	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
environment: No environment: No environment: No environment: No environment: No environment: No EmS-No. (Fire): F-D	4.5. Environmental ha	zards			
EmS-No. (Spillage): S-U	•	environment: No Marine pollutant: No	•	-	Dangerous for the environment: No

14.6. Special precautions for user

Overland transport		
Classification code (ADR)	:	5F
Special provisions (ADR)	:	190, 327, 344, 625
Limited quantities (ADR)	:	11
Excepted quantities (ADR)	:	E0
Packing instructions (ADR)	:	P207, LP200
Special packing provisions (ADR)	:	PP87, RR6, L2
Mixed packing provisions (ADR)		MP9
Transport category (ADR)	:	2
Special provisions for carriage - Packages (ADR)	:	V14
Special provisions for carriage - Loading, unloading	:	CV9, CV12
and handling (ADR)		
Special provisions for carriage - Operation (ADR)	:	S2
Tunnel restriction code (ADR)	:	D
Transport by sea		
Special provisions (IMDG)	:	63, 190, 277, 327, 344, 381, 959
Limited quantities (IMDG)	:	SP277
Excepted quantities (IMDG)	:	E0
Packing instructions (IMDG)	:	P207, LP200
Special packing provisions (IMDG)		PP87, L2
Stowage category (IMDG)	:	None
Stowage and handling (IMDG)	:	SW1, SW22
Segregation (IMDG)		SG69
33(2)		
Air transport		
PCA Excepted quantities (IATA)	:	E0
PCA Limited quantities (IATA)	:	Y203
PCA limited quantity max net quantity (IATA)	:	30kgG
PCA packing instructions (IATA)	:	203
PCA max net quantity (IATA)	:	75kg
CAO packing instructions (IATA)	:	203
CAO max net quantity (IATA)	:	150kg
Special provisions (IATA)		A145, A167, A802
ERG code (IATA)		10L
Inland waterway transport		
Classification code (ADN)	:	5F
Special provisions (ADN)		190, 327, 344, 625
Limited quantities (ADN)		1 L
Excepted quantities (ADN)		EO
	•	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP200
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading	: CW9, CW12
and handling (RID)	
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148) Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Abbreviations a	and acronyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:		
Aerosol 1	Aerosol, Category 1	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Flam. Gas 1	Flammable gases, Category 1	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
Press. Gas (Comp.)	Gases under pressure : Compressed gas	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.