# **SDS ATTACHMENT**

# PLEASE ATTACH THIS COMPLETED SHEET TO THE SDS FOR:

| PRODUCT:              | SP-90  |   |
|-----------------------|--|---|
| <u>SDS DATE:</u>      | 17 November 2022   |   |
| <u>1. Supplier:</u>   | Tradegear Ltd<br>Level 1, 99 Clarence Street<br>Riccarton, Christchurch 8011<br>New Zealand<br>Phone: 0800 22 44 34 or +64 3 341 8055<br>Fax: 0800 22 11 51 or +64 9 522 8833<br>24 hr emergency contact: +64 21 510 622 | Website: www.tradegear.co.nz<br>Email: office@tradegear.co.nz |
| Emergency Information | National Poison Centre:  | 0800 764 766 (0800 POISON)                                    |

# 2 & 15. Hazards Identification & Regulatory Requirements:

| Product Name:<br>Product Use:                                | SP-90<br>Constal puttoese lubricent   |
|--|---|
|  | General purpose lubricant   |
| Group Standard, Approval Number                              | Aerosols (Flammable) Group Standard 2020 - HSR002515<br>All ingredients are listed on the New Zealand Inventory of<br>Chemicals (NZIoC)   |
| GHS Classification:  | Aerosol Category 1  |
| [Note: classification based on the CRC Industries SDS]       |   |
| Hazard Statement and Precautions, including Class 9          | Extremely flammable aerosol.  |
| statements where applicable:                                 | Pressurized container: May burst if heated.   |
| Danger   | Keep out of reach of children.<br>Keep away from heat, hot surfaces, sparks, open flames and<br>other ignition sources. No smoking.<br>Do not spray on an open flame or other ignition source.<br>Do not pierce or burn, even after use.<br>Protect from sunlight. Do not expose to temperatures exceeding<br>50°C. |
| Tolerable Exposure Limit or<br>Environmental Exposure Limit: | None applied to this product of its ingredients.  |



# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

|  | ·····   |
|--|---|
| 1.1. Product identifier<br>Trade name or designation<br>of the mixture | SP-90   |
| Registration number  | -   |
| Synonyms   | None.   |
| Product code   | UDS000730AE   |
| Issue date   | 17-November-2022  |
| Version number   | 1.0   |
| Revision date  | 17-November-2022  |
| 1.2. Relevant identified uses of t                                     | he substance or mixture and uses advised against                  |
| Identified uses  | Lubricants  |
| Uses advised against   | None known.   |
| 1.3. Details of the supplier of the                                    | e safety data sheet   |
| Company name   | CRC Industries UK Ltd.  |
| Address  | Wylds Road  |
|  | Castlefield Industrial Estate                                     |
|  | TA6 4DD Bridgwater Somerset                                       |
|  | United Kingdom  |
| Telephone  | +44 1278 727200   |
| Fax  | +44 1278 425644   |
| E-mail   | hse.uk@crcind.com   |
| Website  | www.crcind.com  |
| <b>C</b>   | CRC Industrias Europa hy  |
| Company name<br>Address  | CRC Industries Europe by  |
| Address  | Touwslagerstraat 1<br>9240 Zele                                   |
|  | Belgium   |
| Telephone  | +32(0)52/45.60.11   |
| Fax  | +32(0)52/45.00.34   |
| E-mail   | hse@crcind.com  |
| Website  | www.crcind.com  |
|  |   |
| 1.4. Emergeney telephone   | $T_{0} \cdot (+44)(0)(1279, 72, 7200)$ (office bours: 0, 17b CMT) |

1.4. Emergency telephone number

Tel.:(+44)(0)1278 72 7200 (office hours: 9-17h GMT)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

## Classification according to Regulation (EC) No 1272/2008 as amended

| Physical | hazards |
|----------|---------|
| Aeros    | sols    |

Category 1

H222 - Extremely flammable aerosol. H229 - Pressurized container: May burst if heated.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms



| Signal word                    | Danger   |
|--------------------------------|--|
| Hazard statements              |  |
| H222                           | Extremely flammable aerosol.   |
| H229                           | Pressurized container: May burst if heated.  |
| Precautionary statements       |  |
| Prevention                     |  |
| P102                           | Keep out of reach of children.   |
| P210                           | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.   |
| P211                           | Do not spray on an open flame or other ignition source.  |
| P251                           | Do not pierce or burn, even after use.   |
| Response                       | Not assigned.  |
| Storage                        |  |
| P410 + P412                    | Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.   |
| Disposal                       |  |
| P501                           | Dispose of contents/container in accordance with local/regional/national/international regulations.  |
| Supplemental label information | None.  |
| 2.3. Other hazards             | This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

The components are not hazardous or are below required disclosure limits.

### List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

- ATE: Acute toxicity estimate.
- M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** The full text for all H-statements is displayed in section 16.

## **SECTION 4: First aid measures**

| General information  | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |
|--|--|
| 4.1. Description of first aid meas                                     | sures  |
| Inhalation   | If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.                         |
| Skin contact   | Wash off with soap and water. Get medical attention if irritation develops and persists.                         |
| Eye contact  | Rinse with water. Get medical attention if irritation develops and persists.                                     |
| Ingestion  | In the unlikely event of swallowing contact a physician or poison control centre.                                |
| 4.2. Most important symptoms<br>and effects, both acute and<br>delayed | Exposure may cause temporary irritation, redness, or discomfort.   |
| 4.3. Indication of any   | Treat symptomatically.   |

immediate medical attention and special treatment needed

## **SECTION 5: Firefighting measures**

| General fire hazards  | Extremely flammable aerosol.   |
|---|--|
| 5.1. Extinguishing media<br>Suitable extinguishing<br>media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).  |
| Unsuitable extinguishing media                              | Do not use water jet as an extinguisher, as this will spread the fire.   |
| 5.2. Special hazards arising from the substance or mixture  | Contents under pressure. Pressurised container may explode when exposed to heat or flame.<br>During fire, gases hazardous to health may be formed.               |
| 5.3. Advice for firefighters                                |  |
| Special protective equipment for firefighters               | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. |

| Special fire fighting<br>procedures | Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapour pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. |
|-------------------------------------|---|
| Specific methods                    | Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.  |

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

| For non-emergency<br>personnel                            | Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.   |
|---|---|
| For emergency responders                                  | Keep unnecessary personnel away. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.   |
| 6.2. Environmental precautions                            | Avoid discharge into drains, water courses or onto the ground.  |
| 6.3. Methods and material for containment and cleaning up | Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. The product is immiscible with water and will spread on the water surface. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. |
|   | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.  |
| 6.4. Reference to other sections                          | For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.   |

# **SECTION 7: Handling and storage**

| 7.1. Precautions for safe handling                                      | Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
|---|--|
| 7.2. Conditions for safe<br>storage, including any<br>incompatibilities | Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C.<br>Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other<br>sources of ignition. This material can accumulate static charge which may cause spark and<br>become an ignition source. Store in tightly closed container. Store away from incompatible<br>materials (see Section 10 of the SDS).<br>Storage class (TRGS 510): 2B (Aerosol dispensers and lighters)  |
| 7.3. Specific end use(s)  | Not available.   |

# **SECTION 8: Exposure controls/personal protection**

| 8.1. Control parameters                       |   |
|---|---|
| Occupational exposure limits                  | No exposure limits noted for ingredient(s).   |
| Biological limit values                       | No biological exposure limits noted for the ingredient(s).  |
| Recommended monitoring procedures             | Follow standard monitoring procedures.  |
| Derived no effect levels (DNELs)              | Not available.  |
| Predicted no effect<br>concentrations (PNECs) | Not available.  |
| 8.2. Exposure controls                        |   |
| Appropriate engineering controls              | Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.     |
| Individual protection measures                | , such as personal protective equipment   |
| General information                           | Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.  |
| Eye/face protection                           | Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166.  |
| Skin protection                               |   |
| - Hand protection                             | When handling the product wear chemical-resistant gloves (standard EN 374). The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended. Suitable gloves can be recommended by the glove supplier. |

| - Other                         | Wear suitable protective clothing.   |
|---------------------------------|--|
| Respiratory protection          | In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with organic vapour cartridge and full facepiece. (Filter type ABEK)   |
| Thermal hazards                 | Wear appropriate thermal protective clothing, when necessary.  |
| Hygiene measures                | When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.   |
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels. |
|                                 |  |

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

#### Appearance

| Physical state                               | Liquid.                                       |  |  |
|--|---|--|--|
| Form   | Aerosol.                                      |  |  |
| Colour                                       | Colourless.                                   |  |  |
| Odour  | Characteristic odor.                          |  |  |
| Odour threshold                              | Not available.                                |  |  |
| рН   | Not applicable.                               |  |  |
| Melting point/freezing point                 | Not available.                                |  |  |
| Initial boiling point and boiling range      | Not available.                                |  |  |
| Flash point                                  | > 100.0 °C (> 212.0 °F) Closed cup            |  |  |
| Evaporation rate                             | Not available.                                |  |  |
| Flammability (solid, gas)                    | Not available.                                |  |  |
| Upper/lower flammability or explosive limits |   |  |  |
| Explosive limit - lower ( %)                 | Not available.                                |  |  |
| Explosive limit – upper<br>(%)               | Not available.                                |  |  |
| Vapour pressure                              | Not available.                                |  |  |
| Vapour density                               | Not available.                                |  |  |
| Relative density                             | 0.97 g/cm3 20 °C                              |  |  |
| Solubility(ies)                              |   |  |  |
| Solubility (water)                           | Insoluble in water                            |  |  |
| Auto-ignition temperature                    | > 250 °C (> 482 °F)                           |  |  |
| Decomposition temperature                    | Not available.                                |  |  |
| Viscosity                                    | Not available.                                |  |  |
| Explosive properties                         | Not explosive.                                |  |  |
| Oxidising properties                         | Not oxidising.                                |  |  |
| 9.2. Other information                       | No relevant additional information available. |  |  |
| SECTION 10: Stability and reactivity         |   |  |  |

#### SECTION 10: Stability and reactivity

| 10.1. Reactivity                          | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|---|---|
| 10.2. Chemical stability                  | Material is stable under normal conditions.   |
| 10.3. Possibility of hazardous reactions  | No dangerous reaction known under conditions of normal use.                                   |
| 10.4. Conditions to avoid                 | Avoid high temperatures. Contact with incompatible materials.                                 |
| 10.5. Incompatible materials              | Strong oxidising agents.  |
| 10.6. Hazardous<br>decomposition products | Carbon oxides.  |

# **SECTION 11: Toxicological information**

#### **General information**

Inhalation

Occupational exposure to the substance or mixture may cause adverse effects.

#### Information on likely routes of exposure

Prolonged inhalation may be harmful.

| Skin contact  | Based on available data, the classification criteria are not met.  |  |  |
|---|--|--|--|
| Eye contact   | Based on available data, the classification criteria are not met.  |  |  |
| Ingestion   | May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.  |  |  |
| Symptoms  | Exposure may cause temporary irritation, redness, or discomfort.   |  |  |
| 11.1. Information on toxicological effects            |  |  |  |
| Acute toxicity  | Based on available data, the classification criteria are not met.  |  |  |
| Skin corrosion/irritation                             | Based on available data, the classification criteria are not met.  |  |  |
| Serious eye damage/eye<br>irritation                  | Based on available data, the classification criteria are not met.  |  |  |
| Respiratory sensitisation                             | Based on available data, the classification criteria are not met.  |  |  |
| Skin sensitisation                                    | Based on available data, the classification criteria are not met.  |  |  |
| Germ cell mutagenicity                                | Based on available data, the classification criteria are not met.  |  |  |
| Carcinogenicity                                       | Based on available data, the classification criteria are not met.  |  |  |
| Reproductive toxicity                                 | Based on available data, the classification criteria are not met.  |  |  |
| Specific target organ toxicity -<br>single exposure   | Based on available data, the classification criteria are not met.  |  |  |
| Specific target organ toxicity -<br>repeated exposure | Based on available data, the classification criteria are not met.  |  |  |
| Aspiration hazard                                     | Based on available data, the classification criteria are not met.  |  |  |
| Mixture versus substance<br>information               | Not available.   |  |  |
| SECTION 12: Ecological information                    |  |  |  |
| 12.1. Toxicity  | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |  |  |
| 12.2. Persistence and<br>degradability                | No data is available on the degradability of any ingredients in the mixture.   |  |  |
| 12.3. Bioaccumulative potential                       | No data available.   |  |  |
| Partition coefficient                                 | Not available.   |  |  |

| n-octanol/water (log Kow)                |  |
|--|--|
| Bioconcentration factor (BCF)            | Not available.   |
| 12.4. Mobility in soil                   | No data available.   |
| 12.5. Results of PBT and vPvB assessment | This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.  |
| 12.6. Other adverse effects              | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. GWP: 3 |

# **SECTION 13: Disposal considerations**

| 13.1. Waste treatment methods     |   |  |
|-----------------------------------|---|--|
| Residual waste                    | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).  |  |
| Contaminated packaging            | Since emptied containers may retain product residue, follow label warnings even after container is<br>emptied. Empty containers should be taken to an approved waste handling site for recycling or<br>disposal. Do not re-use empty containers.        |  |
| EU waste code                     | The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.  |  |
| Disposal methods/information      | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations. |  |
| Special precautions               | Dispose in accordance with all applicable regulations.  |  |
| SECTION 14: Transport information |   |  |
|                                   |   |  |

| ADR                      |                     |
|--------------------------|---------------------|
| 14.1. UN number          | UN1950              |
| 14.2. UN proper shipping | AEROSOLS, flammable |
| name                     |                     |

14.3. Transport hazard class(es) Class 2.1 Subsidiary risk 2.1 Label(s) Hazard No. (ADR) Not assigned. Tunnel restriction code D ADR/RID - Classification 5F code: Not assigned. 14.4. Packing group 14.5. Environmental hazards No 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user RID 14.1. UN number UN1950 14.2. UN proper shipping AEROSOLS, flammable name 14.3. Transport hazard class(es) Class 2.1 Subsidiary risk 2.1 Label(s) 14.4. Packing group Not assigned. 14.5. Environmental hazards No 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user ADN 14.1. UN number UN1950 14.2. UN proper shipping AEROSOLS, flammable name 14.3. Transport hazard class(es) Class 2.1 Subsidiary risk 2.1 Label(s) 14.4. Packing group Not assigned. 14.5. Environmental hazards No 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user ΙΑΤΑ UN1950 14.1. UN number 14.2. UN proper shipping Aerosols, flammable name 14.3. Transport hazard class(es) Class 2.1 Subsidiary risk Not assigned. 14.4. Packing group 14.5. Environmental hazards No ERG Code 10L 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user Other information Allowed with restrictions. Passenger and cargo aircraft Allowed with restrictions. Cargo aircraft only IMDG 14.1. UN number UN1950 Aerosols, flammable 14.2. UN proper shipping name 14.3. Transport hazard class(es) Class 2.1 Subsidiary risk 14.4. Packing group Not assigned. 14.5. Environmental hazards Marine pollutant No F-D, S-U EmS

Read safety instructions, SDS and emergency procedures before handling.

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

ADN; ADR; IATA; IMDG; RID



# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Retained direct EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.

Not established.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

### Other regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety No Chemical Safety Assessment has been carried out.

#### assessment

## **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.
ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.
AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).
CAS: Chemical Abstract Service.
Ceiling: Short Term Exposure Limit Ceiling value.

CEN: European Committee for Standardization. CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures. GWP: Global Warming Potential. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MAC: Maximum Allowed Concentration. MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG). MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals). RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer). RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value. VOC: Volatile organic compounds. vPvB: Very persistent and very bioaccumulative. STEL: Short-term Exposure Limit. Not available. The classification for health and environmental hazards is derived by a combination of calculation Information on evaluation method leading to the methods and test data, if available. classification of mixture Full text of any statements. None. which are not written out in full under sections 2 to 15 **Revision information** None. **Training information** Follow training instructions when handling this material. CRC Industries Europe UK Limited cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The

information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.

References

Disclaimer